

Waste & Recycling

A Solution for Every Kitchen



Waste & Recycling

A complete offering with a total of seven product series, including four different levels of Soft-Close options. Each product has been designed to maximize usable cabinet interior and opening space, where two bins can often be used instead of only one. Multiple finish and size options fit all common cabinet opening sizes, making this one of the most extensive waste and recycling programs available today.



Soft-Close Technology

Soft-Close slides now come standard on four KV Waste & Recycling series products, making the world a quieter place by eliminating slamming and providing full closure every time.

Concealed Slide Hardware

Product designs conceal slide hardware on most KV Soft-Close Waste & Recycling products, creating a smooth, neutral look that is also easy to clean.

Bins & Lids

Bin styling is a welcomed update to the industry-standard “boxy” look, plus it integrates effortlessly with our hardware system for a secure fit. Optional lids conceal bin contents and hold plastic bags securely in place, now available for any 20 qt. or 35 qt. product.

Eco-Friendly Finish

KV eco-friendly, Frosted Nickel finish is compatible with the most popular nickel and stainless steel hardware and appliances, offering a soft and subtle alternative to chrome.

A Better Fit All Around

Features make installation faster and easier while also allowing individual products to be applied to a wider range of applications, door sizes and openings, creating a better fit all around.

Heavy-Duty, Soft-Close, Wood Undermount Waste & Recycling Bins



- Heavy-duty, undermount slide with Soft-Close technology and concealed hardware; 100 lb. dynamic / 125 lb. static weight capacity
- Wood drawer box captures bin and provides a clean neutral look
- Installs in minutes using self-aligning brackets secured with only six screws
- Unique, easy-to-clean, solid floor that prevents debris from falling through to the floor or cabinet
- Solid wood top with durable plywood sides
- Bins available in two color schemes with optional lids (in single or double bin units):
 - Platinum bins with Platinum hardware
 - White bins with White hardware



Additional Storage

- Single bin units feature a storage space for trash bags or cleaning products



Door-Mount Bracket

- Fits standard width opening up to door sizes three inches wider
- Simple, concealed two-screw door leveling
- Slotted screw holes allow for easy door centering
- Accommodates overlay or inset doors

Heavy-Duty, Soft-Close, Undermount Series




- Heavy-duty, undermount slide with Soft-Close technology; 100 lb. dynamic / 125 lb. static weight capacity
- Installs in minutes using self-aligning brackets secured with only six screws
- Color coordinated aluminum side rails provide stability and conceal slide hardware
- Unique, easy to clean, solid backplash and floor that prevents debris from falling through to floor or cabinet
- Decorative rail accents can be customized to match countertops or cabinetry
- Bins with optional lids in Platinum or White



Solid Backsplash & Floor

- Backsplash keeps debris from falling behind the unit while concealing the hardware mechanism
- The solid floor is easy to clean and keeps items from falling through to the cabinet or floor below



Concealed Hardware

- Color coordinated aluminum side rails provide a solid feel and stability while concealing the slide hardware
- Add a designer's touch by customizing the rail accents to match countertops or cabinetry



Additional Storage

- Adapts from standard width opening up to door sizes three inches wider
- Simple, concealed two-screw door leveling adjustment system
- Slotted screw holes allow for easy door centering
- Accommodates overlay or inset doors

Soft-Close, Top-Mount Series



- KV Soft-Close technology provides full closure every time without slamming
- Door-Mount Brackets include six-way adjustability for precise door alignment and easy installation
- Bins and optional lids fit securely into multi-ply Natural Birch veneered plywood with soft radius edges
- Available in two color schemes with optional lids (in single or double bin units):
 - Platinum bins and decorative slide hardware covers with Natural Birch platform
 - White bins and decorative slide hardware covers with Natural Birch platform



Accessory Basket

- Single bin units feature an accessory basket to hold accessories and plastic bags



Face Frame Adapter (Soft-Close, Top-Mount)

- Unique KV Face Frame Adapter Mounting Hardware accommodates 1-3/4" face frame cabinets by allowing for installation in openings 1/2" smaller than standard sizes (excluding TSC15-2-35PT and TSC15-2-35WH)



Concealed Hardware (Soft-Close, Top-Mount)

- Color coordinated steel side panels provide added strength and stability while concealing slide hardware, creating a streamlined, easy-to-clean design

Soft-Close, Bottom-Mount Series (door-mount optional)




SCB15-2-35WH
(with optional PDMKTPT Door Bracket Kit)




SCB10-1-35PT
(with optional QT-35-LP-PT Lid)

- KV medium-duty, full-extension ball-bearing slides with Soft-Close technology and 1" over-travel
- KV eco-friendly Frosted Nickel finish or White
- Easy installation with only four screws into heavy-duty mounting straps
- Specialized wire management system holds bins securely in place
- Bottom-mount units provide stability and are pre-assembled, for faster installation




Handle

- Handle is easy to attach and simple to grasp
- Keeps hands sanitary while handling



Bin Management System / Concealed Hardware

- The bins fit securely into the wire bin management system, eliminating shifting and tipping




Optional Door-Mount Bracket

- Adapts from standard width opening up to door sizes three inches wider
- Eliminates need for sub-panel support behind cabinet door
- Six-way adjustability for alignment of cabinet door with easy "drop-in" keyhole attachment

Top-Mount Series



- Multi-ply Natural Birch veneered plywood with soft radius edges
- Door-mount brackets include six-way adjustability for precise door alignment and easy installation
- Removable bins slide out on KV heavy-duty precision ball-bearing slides
- Available in one color scheme with optional lids (in single or double bin units):
 - White bins with Natural Birch platform



Accessory Basket

- Single bin units feature an accessory basket to hold accessories and plastic bags



Bottom-Mount Series




- All units are pre-assembled and install easily with only four screws
- KV medium-duty ball-bearing precision slides
- Available in one color scheme with optional lids (in single, double, triple or four bin units):
 - White bins / accents with White wire frames




Handle

- Clip-on handle included with single and double bin units
- Integrated handle on all triple and four bin units



Optional Door-Mount Bracket

- Adapts from standard width opening up to door sizes three inches wider
- Eliminates need for sub-panel support behind cabinet door
- Six-way adjustability for alignment of cabinet door with easy “drop-in” keyhole attachment



Bin Management System

- Updated wire management system holds bins securely in place

Roll-Out, Non-Lidded Series



- Mounted on roller slides for easy access
- Bins and Hardware: Bin styling is a welcomed update to the industry-standard “boxy” look
 - Hardware sits in bin grooves to hold them securely in place
- Optional lids available
- Mounting templates provided for easy installation
- White



Dual Orientation

- Dual orientation allows for installation in both narrow and wide applications

Waste & Recycling Accessories

Part Number	Description	Finish
DOOR-MOUNT BRACKET KITS		
PDMKTWH	Door-Mount Bracket Kit	White
PDMKTPT	Door-Mount Bracket Kit	Frosted Nickel
<i>Kits fit standard openings up to door sizes 3" wider</i>		
LIDS		
QT20LB-WH	Fits 20 Qt.	White
QT20LB-PT	Fits 20 Qt.	Platinum
QT35LB-WH	Fits 35 Qt.	White
QT35LB-PT	Fits 35 Qt.	Platinum

Lids add 3/4" to bin height

Cabinet Opening								
Part Number	Min. Width	Min. Height*	Min. Depth	Recommended Widths	Door-Mount Bracket Fits Opening Widths	Capacity per Bin	Finish [Hardware/Bin]	Lids Available
SOFT-CLOSE, UNDERMOUNT SERIES (DOOR-MOUNTED)								
Single Bin Units								
USC12-1-35WH	12"	19-1/2"	22-5/8"	12-15"	12-15"	35 Qt.	White/White	Yes
USC12-1-35PT	12"	19-1/2"	22-5/8"	12-15"	12-15"	35 Qt.	Platinum/Platinum	Yes
USC12-1-50WH	12"	23-1/2"	22-5/8"	12-15"	12-15"	50 Qt.	White/White	No
USC12-1-50PT	12"	23-1/2"	22-5/8"	12-15"	12-15"	50 Qt.	Platinum/Platinum	No
Double Bin Units								
USC12-2-27WH	12"	19-3/4"	22-9/16"	12-15"	12-15"	27 Qt.	White/White	No
USC12-2-27PT	12"	19-3/4"	22-9/16"	12-15"	12-15"	27 Qt.	Platinum/Platinum	No
USC15-2-35WH	15"	19-1/2"	22-5/8"	15-18"	15-18"	35 Qt.	White/White	Yes
USC15-2-35PT	15"	19-1/2"	22-5/8"	15-18"	15-18"	35 Qt.	Platinum/Platinum	Yes
USC18-2-50WH	15-1/2"	23-1/2"	22-5/8"	18"	15-1/2"-18"	50 Qt.	White/White	No
USC18-2-50PT	15-1/2"	23-1/2"	22-5/8"	18"	15-1/2"-18"	50 Qt.	Platinum/Platinum	No
SOFT-CLOSE, WOOD UNDERMOUNT SERIES (DOOR-MOUNTED)								
Single Bin Units								
WUSC12-1-35WH	11-1/2"	19-1/2"	22-1/2"	12-15"	12-15"	35 Qt.	White/White	Yes
WUSC12-1-35PT	11-1/2"	19-1/2"	22-1/2"	12-15"	12-15"	35 Qt.	Platinum/Platinum	Yes
WUSC12-1-50WH	11-1/2"	23-1/2"	22-1/2"	12-15"	12-15"	50 Qt.	White/White	No
WUSC12-1-50PT	11-1/2"	23-1/2"	22-1/2"	12-15"	12-15"	50 Qt.	Platinum/Platinum	No
Double Bin Units								
WUSC12-2-27WH	11-1/2"	19-3/4"	22-1/2"	12-15"	12-15"	27 Qt.	White/White	No
WUSC12-2-27PT	11-1/2"	19-3/4"	22-1/2"	12-15"	12-15"	27 Qt.	Platinum/Platinum	No
WUSC15-2-35WH	14-1/2"	19-1/2"	22-1/2"	15-18"	15-18"	35 Qt.	White/White	Yes
WUSC15-2-35PT	14-1/2"	19-1/2"	22-1/2"	15-18"	15-18"	35 Qt.	Platinum/Platinum	Yes
WUSC18-2-50WH	15-1/2"	23-1/2"	22-9/16"	15-1/2"-18"	15-1/2"-18"	50 Qt.	White/White	No
WUSC18-2-50PT	15-1/2"	23-1/2"	22-9/16"	15-1/2"-18"	15-1/2"-18"	50 Qt.	Platinum/Platinum	No
SOFT-CLOSE, BOTTOM-MOUNT SERIES (DOOR-MOUNT OPTIONAL - SEE PAGE 6)								
Single Bin Units								
SCB9-1-20WH**	9"	17-13/16"	20-1/2"	9-12"	9-12"	20 Qt.	White/White	Yes
SCB9-1-20PT**	9"	17-13/16"	20-1/2"	9-12"	9-12"	20 Qt.	Frosted Nickel/Platinum	Yes
SCB10-1-35WH**	10"	19-5/16"	20-1/2"	10-12"	10-13"	35 Qt.	White/White	Yes
SCB10-1-35PT**	10"	19-5/16"	20-1/2"	10-12"	10-13"	35 Qt.	Frosted Nickel/Platinum	Yes
SCB12-1-50WH**	12"	23-3/8"	20-1/2"	12-15"	12-15"	50 Qt.	White/White	No
SCB12-1-50PT**	12"	23-3/8"	20-1/2"	12-15"	12-15"	50 Qt.	Frosted Nickel/Platinum	No
SCB15-1-20WH**	15"	17-13/16"	16-1/2"	15-18"	15-18"	20 Qt.	White/White	Yes
SCB15-1-20PT**	15"	17-13/16"	16-1/2"	15-18"	15-18"	20 Qt.	Frosted Nickel/Platinum	Yes
Double Bin Units								
SCB12-2-27WH**	12"	18-3/4"	22-9/16"	12-15"	12-15"	27 Qt.	White/White	No
SCB12-2-27PT**	12"	18-3/4"	22-9/16"	12-15"	12-15"	27 Qt.	Frosted Nickel/Platinum	No
SCB15-2-20WH**	15"	17-3/16"	20-3/8"	15-18"	15-18"	20 Qt.	White/White	Yes
SCB15-2-20PT**	15"	17-3/16"	20-3/8"	15-18"	15-18"	20 Qt.	Frosted Nickel/Platinum	Yes
SCB15-2-35WH**	15"	19-5/16"	23-3/8"	15-18"	15-18"	35 Qt.	White/White	Yes
SCB15-2-35PT**	15"	19-5/16"	23-3/8"	15-18"	15-18"	35 Qt.	Frosted Nickel/Platinum	Yes

*If using lid, add 3/4" to Minimum Cabinet Opening Height. **Handle comes standard on this unit.

Cabinet Opening								
Part Number	Min. Width	Min. Height*	Min. Depth	Recommended Widths	Door-Mount Bracket Fits Opening Widths	Capacity per Bin	Finish [Hardware/Bin]	Lids Available
Triple Bin Units								
SCB15-3-20WH**	15"	17-3/16"	23-3/8"	15-18"	15-18"	20 Qt.	White/White	Yes
SCB15-3-20PT**	15"	17-3/16"	23-3/8"	15-18"	15-18"	20 Qt.	Frosted Nickel/Platinum	Yes
Four Bin Units								
SCB24-4-27WH**	24"	19"	22-5/8"	24-27"	N/A	27 Qt.	White/White	No
SCB24-4-27PT**	24"	19"	22-5/8"	24-27"	N/A	27 Qt.	Frosted Nickel/Platinum	No
BOTTOM-MOUNT SERIES (DOOR-MOUNT OPTIONAL - SEE PAGE 8)								
Single Bin Units								
SBM9-1-20WH	9"	17-13/16"	20-1/2"	9-12"	9-12"	20 Qt.	White/White	Yes
SBM10-1-35WH	10"	19-5/16"	20-1/2"	10-12"	10-12"	35 Qt.	White/White	Yes
SBM12-1-50WH	12"	23-1/8"	20-1/2"	12-15"	12-15"	50 Qt.	White/White	No
SBM15-1-20WH	15"	17-13/16"	16-3/8"	15-18"	15-18"	20 Qt.	White/White	Yes
SBM15-1-35WH	15"	19-5/16"	16-3/8"	15-18"	15-18"	35 Qt.	White/White	Yes
Double Bin Units								
SBM12-2-27WH	12"	19"	22-9/16"	12-15"	12-15"	27 Qt.	White/White	No
SBM15-2-20WH	15"	17-13/16"	20-3/8"	15-18"	15-18"	20 Qt.	White/White	Yes
SBM15-2-35WH	15"	19-5/16"	22-3/8"	15-18"	15-18"	35 Qt.	White/White	Yes
Triple Bin Units								
SBM15-3-20WH**	15"	17-13/16"	23-3/8"	15-18"	15-18"	20 Qt.	White/White	Yes
Four Bin Units								
SBM24-4-27WH**	24"	19-1/2"	23-3/8"	24-27"	N/A	27 Qt.	White/White	No
ROLL-OUT, NON-LIDDED, SINGLE BIN UNITS								
ECW9-1-20WH	8"	17-1/2"	16"	8"+	N/A	20 Qt.	White/White	
ECW10-1-35WH	10"	19"	16"	9"+	N/A	35 Qt.	White/White	
SOFT-CLOSE, TOP-MOUNT SERIES (DOOR-MOUNTED)								
Single Bin Units								
TSC12-1-35WH	11-1/2" or 12"	18"	23-3/8"			35 Qt.	White/White	Yes
TSC12-1-35PT	11-1/2" or 12"	18"	23-3/8"			35 Qt.	Platinum/Platinum	Yes
TSC15-1-35WH	14-1/2" or 15"	18"	23-3/8"			35 Qt.	White/White	Yes
TSC15-1-35PT	14-1/2" or 15"	18"	23-3/8"			35 Qt.	Platinum/Platinum	Yes
TSC15-1-50WH	14-1/2" or 15"	22-1/8"	23-3/8"			50 Qt.	White/White	No
TSC15-1-50PT	14-1/2" or 15"	22-1/8"	23-3/8"			50 Qt.	Platinum/Platinum	No
Double Bin Units								
TSC15-2-35WH	15"	18"	23-3/8"			35 Qt.	White/White	Yes
TSC15-2-35PT	15"	18"	23-3/8"			35 Qt.	Platinum/Platinum	Yes
TSC18-2-35WH	17-1/2" or 18"	18"	23-3/8"			35 Qt.	White/White	Yes
TSC18-2-35PT	17-1/2" or 18"	18"	23-3/8"			35 Qt.	Platinum/Platinum	Yes
TOP-MOUNT SERIES (DOOR-MOUNTED)								
Single Bin Units								
PDMTM115-1-35WH	11-1/2"	18"	22-1/2"			35 Qt.	White/White	Yes
PDMTM12-1-35WH	12"	18"	22-1/2"			35 Qt.	White/White	Yes
PDMTM145-1-50WH	14-1/2"	22-1/8"	22-1/2"			50 Qt.	White/White	No
Double Bin Units								
PDMTM15-2-35WH	15"	18"	22-1/2"			35 Qt.	White/White	Yes
PDMTM175-2-35WH	17-1/2"	18"	22-1/2"			35 Qt.	White/White	Yes
PDMTM18-2-35WH	18"	18"	22-1/2"			35 Qt.	White/White	Yes
PDMTM21-2-35WH	21"	18"	22-1/2"			35 Qt.	White/White	Yes

*If using lid, add 3/4" to Minimum Cabinet Opening Height. **Handle comes standard on this unit.



KNAPPE & VOGT®

2700 Oak Industrial Dr. NE
Grand Rapids, MI 49505-6026 USA
Tel: 1.800.253.1561 | 616.459.3311
Fax: 877.636.3290
www.kv.com

This and other KV literature is available for download at www.kv.com > Resource Library

Knappe & Vogt reserves the right to change product specifications at any time without notice and without incurring responsibility for existing units.

©2017 Knappe & Vogt. KV and the KV logo are trademarks of Knappe & Vogt.

0L2212/0617